



1/19

FIG. 1




2/19




3/19

FIG. 3




4/19

FIG. 4




5/19

FIG. 5



6/19

FIG. 6



7/19

FIG. 7

Broadcast browser 1301

Broadcast point using screen

Current broadcast points points

Usable broadcast points points

1302

1303

Select the desired using method and make the decision. 1304

1305

FIG. 8

Broadcast browser 1401

Broadcast point changing into package information screen

Current broadcast points points

Usable broadcast points points

Broadcast points changed points 1402

Input the desired broadcast points and make the decision.

1403 1404

8/19

FIG. 9





FIG. 10



9/19

FIG. 11

Communication browser 1701 /

Broadcast point registration screen

The broadcast points of ABC broadcast in the package are changed into card points.

Broadcast points of ABC broadcast points

Card points points


Note: Ratio of changing from broadcast points of ABC broadcast is 2:1.

For registration, make the decision.

1702 1703

11/19

FIG. 13



12/19

FIG. 14

Report message





FIG. 15

Certificate



13/19

FIG. 16






FIG. 17




14/19

FIG. 18




15/19

FIG. 19




16/19

FIG. 20




17/19

FIG. 21



18/19

FIG. 22



19/19

Reference numerals in the drawings

- 1100 Television receiver
- 1101 Tuner
- 1102 Separator
- 1103 Decoder
- 1104 OSD processor
- 1105 Synthesizer
- 1106 Display unit
- 1107 CA module
- 1108 Browser
- 1109 Broadcast browser
- 1110 Communication browser
- 1111 Control unit
- 1112 Communication unit
- 1113 Input unit
- 1114 Package information processor
- 1115 Package information producing contents memory
- 1116 NVRAM
- 1117 Receiver common information region
- 1118 Equipment ID memory
- 1119 Broadcaster ID memory
- 1120 Package information memory
- 1121 Broadcaster's sole region
- 1122 Viewing record memory
- 1123 Broadcast point memory
- 1124 De-scrambler
- 1125 Package information format memory